PartsGo

RE

Trust, Fast and Transparent

All Parts Care continues to drive sales for customers. Sign up to be a distributor for PartsGo.



PartsGo

Product Manual

Partsgo is founded by diversified OE parts manufactures with proven quality and exclusively certified by All Parts Care.

Partsgo is available in over 37 categories, and on average cover more than 85% of Japanese, Korean, American and European vehicles.

Partsgo provides best-in-class supply chain and connects with over 5,000 service centers in twelve countries.

CATALOGUE





- Engine Oil
- Transmission Oil
- Brake Fluid
- Coolant
- ☐ Fluid & Grease

2 C

Car Care

Others

- Engine& Fuel System
- Cooling System
- Air Conditioner System
- ☐ Transmission System
- Steering System



PartsGo



- Oil& Greas
- Engine oil
- Transmission oil
- Brake fluid
- Coolant
- Fluid & Grease

LUBRICANT LUBRICANT

ENGINE OIL



PRODUCT INTRODUCTION Two Styles

For US& Aisan Type Engine:

The unique formula ensures good engine lubrication while effectively reducing the coefficient of friction, Which significantly improves fuel efficiency and saves you money on fuel. The semi-synthetic nature gives it a good price/performance ratio, Which can meet your requirements for oil quality without putting too much pressure on your wallet.

For European Type Engine:

Long-term performance eliminates the need for frequent oil changes, Saving maintenance costs and time. Even in difficult driving conditions, This oil will stay on the job to protect your engine.

For US& Aisan Type Engine

9 kinds of SP Fully& Semi synthetic oil are deciated for US& Asian type engine, Which meet API& ILSAC standard and some OEM approval.

| Туре | API | SAE | ILSAC |
|-----------------|-----|-------|-------|
| full-synethetic | SP | 0W20 | GF-6A |
| full-synethetic | SP | 5W30 | GF-6A |
| full-synethetic | SP | 10W30 | GF-6A |
| full-synethetic | SP | 5W40 | |
| semi-synethetic | SP | 0W20 | GF-6A |
| semi-synethetic | SP | 5W20 | GF-6A |
| semi-synethetic | SP | 10W30 | GF-6A |
| semi-synethetic | SP | 10W40 | |
| semi-synethetic | SP | 20W50 | |

Net: 1L, 4L, 5L

For European Type Engine

5 kinds of SP Fully synthetic oil are deciated for Euro-type engine, Which meet ACEA standard and some OEM approval.

| Δ | F) | |
|---|----|--|
| | シ | |
| | | |



0W20 C5 0W30 C3/C2 0W40 C3 5W30 C3 5W40 A3B4

Net: 1L, 4L, 5L

TRANSMISSION OIL



ATF

4 kinds of fully synethetic ATF are suitable for 5AT, 6AT, 7AT, 9AT respectively, Which is also to meet the following needs in term of DEXRON& Mercon standard, And OEM requirement.

Net: 1L



CVTF

One multi-purpose fully synthetic CVTF ,which meet Toyota TC、Honda HMMF、Nissan NS-2 &NS-3.

Net:1L



DCTF

One genernal fully synthetic DCTF, Which meets requirement of wet dual-clutch transmission, Suitable for the maintenance of wet dual-clutch transmissions equipped with Audi, Volkswagen, Ford, Volvo and other brand models.

Net: 1L



MT

3 kinds of gear oil to meet the msot demand of the manual transmission box& rear bridge.

 Mineral
 GL-5
 85W140

 Mineral
 GL-5
 80W90

 Full-synethetic
 GL-4
 75W90

Net: 1L, 4L

LUBRICANT LUBRICANT

BRAKE FLUID



DOT3

Equilibrate the reflux boiling point≥220°C, Wet equilibrium reflux boiling point≥150°C Conforms GB12981 HZY3, FMVSS NO.
116 DOT3 standard, JISK 2233-1995, SAE J1703.,etc.

Net: 250mL, 355mL, 1L



DOT4

Equilibrate the reflux boiling point≥255°C,
Wet equilibrium reflux boiling point≥160°C
Conforms to GB12981 HZY4,
FMVSS NO.116DOT4 standard,
JSK 2233-1995,
SAE J1704 and other standards.

Net:250mL, 355mL, 1L



DOT5.1

Fits for high-performance vehicles and special-purpose vehicles, Esp.
In extreme temperatures or/and in humid or rainy areas.

Net: 1L





Coolant

3 kinds coolants with -15°C, -25°C&-35°C freeze point individually.

All-organic OAT type meets GB29743 and ASTM D3306& D4985,

SAE J1034, JIS K2234, GJB6027 and other standards.

Compatibility with non-metallic material parts such as rubber.


Long service life is 6 years or 200,000 km.

Net: 1L, 4L





FLUID&GREASE





Power Steering Fluid

One red transparent liquid, Which is blended by Hydro-refined base oil and viscosity index agent with low shear index. It has excellent performance in low temperature performance, Shear resistance, Friction characteristics and compatibility of sealing materials.

Net: 1L

Multi Purpose Grease

Multi-Purpose lithium based grease with NLGI-2, Anti Extra Pressure character.

Net: 350g, 1Kg, 15Kg





ENGINE&FUEL SYSTEM



Engine Restorer (Enhancer/ Recovery)

Be added directly to the engine oil to enhance engine
Performance, decrease the consumption of engine oil,
Facilitates peak performance in older, Well-used engines,
And plugs areas of the cylinder walls that are worn out
and susceptible to microscopic leaks.

Net:125mL



Engine Flush

Be added directly to the engine oil to help to loosen deposits, Remove dirt, and return the engine to like-new condition.

Net:125mL



Fuel Booster For Gasoline

Improves combustion efficiency and cleans the combustion chamber& injector.

Net: 125mL



Fuel system/Air Intake/ Fuel injector cleaner kit

Fuel system cleaner is to clean harmful deposits & carbon from fuel system.

Air intake cleaner is to reduce intake valve deposits, To dissolves gum, Carbon, Soil & Resin.

Fuel injector cleaner is to elimate deposits and regenerate the injector system.

Net: 325mL

ENGINE& FUEL SYSTEM



Wiring Harness Protectant

Forms a protective film to isolate moisture and avoid oxidation.

Delays the aging and cracking of rubber and plastic pipe fittings,

And prevents leakage caused by aging of wiring harnesses.

Increases the safety of the wiring harness due to high voltage resistance and insulationand easy to clean.

Net: 450mL



Engine Surface Cleaner

Rapidly removes oil stain,Dirt and dust on engine surfaces quickly.

Be with strong penetration and emulsifying decomposition and no damage.

Net: 360g



Three-Way Catalytic(TWC) Converter Cleaner

Cleans the sulfur and phosphorus complexes, Carbon deposits and other adsorbents attached to the surface of the TWC, And restores TWC activity.

Dredges the exhaust pipe, and restores vehicle power.

Extends the service life of TWC and oxygen sensors.

Net: 450mL



Treatment kit for low-Speed Pre-Ignition (LSPI)

Reduces LSPI effect on Small-displacement turbocharged engine.

Net: 350mL

CAR CARE

PartsGo

CAR CARE

COOLING SYSTEM



Cooling system cleaner

Cleans the interior by activating and decomposing incrustation, avoiding blocking and boiling because of incrustation.

Aviods engine overheated and extends the life of cooling system without any harm.

Net: 235mL



Cooling system protector

Forms protective film on the metal surface, prevents incrustation.

Prevents corrosion of metal parts and aging of rubber parts, and prolong the

aging of rubber parts, and prolong the service life of water tanks and hoses.

Lubricates the water pump and thermostat to prolong its service life.

Net: 235mL



Cooling System Leak Stop

Prevents leakage in the cooling system for water tank, warms wind radiator, Cylinder, Water pump, Water seal and cylinder liner etc.

Net: 235mL



Compressor Oil

Poly ether (PAG) base oil with effective additive system to ensure the stable and long-life operation of automotive air conditioning compressors, Suitable for automotive air conditioning compressors, Especially systems using refrigerants such as R134a.

Net: 70g, 250mL



with various refrigerants; Is suitable for all kinds of air-conditioning

refrigeration systems.

Net: 30mL

AIR CONDITIONER SYSTEM



A/C Cleaner

Cleaner to clean A/C system and help to improve cooling efficiency.

Net: 250mL



Sanitize Cleaner

Sanitizer to sterilize& deodorize A/C, Kill bacteria& germs.

Net: 450mL



PartsGo

Deodorizer Cleaner

Deodorizer is odor neutrlizer and remove light dirt in ductwork and vent sureface.

Net: 450mL

Net:450mL

10

Net: 30mL

emissions& is suitable for all kinds of air-conditioning cooling system.

CAR CARE

TRANSMISSION SYSTEM



Transmission System Cleaner

Cleans the gum, Sludge, Varnish, etc. In the automatic transmission box. Prevents the valve body and solenoid valve from getting stuck to ensure smoothness of operation. Removes the acidic substances, And delays the aging and deformation of the oil seal.

Net: 155mL





Belt Anti-Slip Synergist

Reduces slippage and is suitable for all drive belts and increases belt life. Assists to reduce energy costs and with high adhesion prevents throw off and resistant to oxidisation reduce LSPI

Net: 450mL



Transmission System Protector

Inhibits the generation of sludge, gum and other deposits, Aviods precision parts is stuck and improves the smoothness of shifting. Prolongs the service life of transmission box and reduces maintenance cost.


Net: 155mL



Belt Sound Dampening Protectant

Is applied to hard surfaces to reduce vibrations and the transmission of sound.

Net: 450mL



STEERING SYSTEM



Steering System Protector


Lubricates the mechanical parts inside and improves operational sensitivity and smoothness. Improves the performance of power steering oil, Prevents acidification and corrosion, and prolongs oil's life. Slow down the corrosion and wear of internal parts, And prolongs the service life of the steering system.

Net: 155mL

Steering System Cleaner

Cleans the sludge, Gum and other deposits inside. Restores mechanical parts and improves the sensitivity and smoothness of steering operation, and avoid over steering or over steering. No damage to all components of the hydraulic steering system.

Net: 155mL



BRAKE SYSTEM



Aerosol Brake Cleaner

Helps brake pad heat dissipation, prolongs the service life of brake parts.

Avoids overheating of brake oil, Maintains stable performance of brake oil, And ensures driving safety. Fills the gap between brake pad and heat dissipation steel sheet to eliminate the abnormal sound caused by loose heat dissipation steel sheet.

Net: 257g



Brake Wheel Hub lubrication Rust Inhibitor

Prevents hub positioning ring root rust,
Ensures easy to remove the tire.
Avoids accidents in the process of tire
disassembly.

Net: 250mL



Brake Pump Guide Pins Grease

Be added directly to the engine oil to help to loosen deposits, Remove dirt, And return the engine to like-new condition

Net: 10g



Brake Pad Heat Dissipation Protector

Helps brake pad heat dissipation, prolongs the service life of brake parts.

Avoids overheating of brake oil, maintains stable performance of brake oil, and ensures driving safety.

Fills the gap between brake pad and heat dissipation steel sheet to eliminate the abnormal sound caused by loose heat dissipation steel sheet.

Net: 250mL



Car Shampoo



General car shampoo& 1:100 concentrate

Quickly removes the body dust, Oil, Shellac, Gum,
bird droppings and other dirt. Deep nourishs the car paint
surface, So that the car body is clean and smooth.

Its oncentrated formula can save time and effort,
Do not hurt the car paint and hurt hands.

Net: 20L



Touchless Car Shampoo

Quickly penetrates and decomposes the surface of the body stubborn stains, Such as soil, Oil, etc., Without scrubbing hard to remove, High bubble concentration, Quick wetting paint, The paint of oil, Soil quick decomposition, Mild formula, Not hurt car paint, Improve store construction efficiency, Save operating costs for stores.

Net: 20L

<u>v</u>

Windshield Washer& Concentrate

Is used for daily cleaning of automobile windshields (windshields, rear mirrors and interior mirrors).

Its surfactant can effectively repel dirt, oil film, shellac,
Rain stains, Etc. On the glass, And prevent the adhesion of oil stains. Its concertrate can be diluated for usage with 1:100 diluate ratio.

Net: 120mL, 1L, 20L



Wipe-Off Car Shampoo

Quickly penetrates and decomposes the surface of the body stubborn stains, Such as soil, Oil, etc., Without scrubbing hard to remove, high bubble concentration, Quick wetting paint, The paint of oil, Soil quick decomposition, Mild formula, Not hurt car paint, Improve store construction efficiency, Save operating costs for stores.

Net: 18L



Pe





Chassis armor coating

Prevents corrosion of chassis metal parts by acids, alkalis, salts, etc.

Avoids damage to the vehicle chassis caused by slight drag bottoming.

Protects the sand and gravel on the chassis, reduces the conduction of noise during driving, no pungent odor.

Net: 450mL




Battery pile head protector

Improve electrical contact efficiency.

Ensure contact with piles and conductees is most guaranteed Increased battery life, corrosion resistance and pile head salting.

Net: 255mL



Others





Silicon spray

Preserves and protects rubber moldings, weather strips,
Grommets, o-rings, Rubber seals, dashboards,
Door moldings, plastic parts, and mountings.
Is used to waterproof and protect metal, Rubber, plastic,
Wood, glass, Leather, vinyl, Fabrics, And painted surfaces.
Creates a thin film on the surface that protects it from UV
rays and other factors.





Aerosol White Lithium Grease

Is designed particularly for applications requiring extreme water resistance.

Provides long-lasting lubrication for all metal-to-metal applications and will not splatter, Melt, Run, Wash off or freeze.

Net: 220g



Carburetor

Removes gum, sludge, paint film and other deposits on various workpieces, which can be restored to good condition and improve maintenance efficiency due to rapid removal of impurities and quick drying character.

Net: 368g




Acts as 3 roles- penetrant, Cleaner and lubricant.

Is a penetrant& cleaner to cut through layers of rust, dirt and help to clean and remove most oils, Grease, Tar, Adhesive and dry rust and others.

Is a general light lubrication in automotive.

Net: 368g



OTHERS

Rubber And Plastic Cleaner& Protectant

Enhances shine and protects vinyl, Rubber and plastic surfaces against harmful UV solar rays.

Creates the perfect new appearance on interior and exterior surfaces, Is specialty UV blockers act like sunscreen for sensitive car parts.

Net: 120mL

Tyre Mounting Paste



A white paste prevents the tire and rim sliding, And forms a delicate protective film on the tire surface, To maximize the protection of the tire.

Net: 1Kg, 5Kg